



BESPOKE DOORS



PERSONNEL DOORS

Our popular general purpose steel door and is available as a single leaf, leaf and half and double doorset with a very large selection of options and extras so each steel door can be tailor-made.

An excellent value for money door range making it suitable for most general purpose applications.

- · Choice of Locking Mechanisms
- Cylinders
- Door Closers
- Door Handles
- · Panic Hardware
- Vision and Louvres Panels
- Powder Coating or Primer Options
- Side and Overpanels





FIRE RATED DOORS

Our Fire Door Range has been developed to provide a certified range of fire rated personnel and fire exit doors with an exceptionally wide choice of fire rated door specifications and hardware options available.

- · Fire resistant for a minimum of 4 hours
- Independently tested to BS476:PART 22 1987
- · Fire rated door closer on each leaf as standard
- Specialist door infill
- Fire resistant glazing option with fire rated intumescent seals (some glazing options reduces the fire rating to 1 hour)
- Fire rated louvres (4 hour rating)
- Single and double doorsets available
- Side and top panels (4 hour rating)
- Unlatched door options are also available
- All fire rated doors are available outward and inward opening

HARDWARE OPTIONS

DOOR CLOSERS



CODE LOCKS













MULTI LOCKS

ELECTRIC LOCKS

PANIC HARDWARE

STANDARD POWDER COATING COLOUR RANGE

This chart is for illustrative purposes only, for an exact colour please refer to the appropriate BS or RAL colour chart.

Goose Grey (RAL 00 A 05) semi-gloss/textured Goosewing Grey (85 10 A 05) semi gloss/textured Merlin Grey (BS 18 8 25) matt Basalt Grey (RAL 7012) matt Slate Grey (RAL 7015) matt Graphite Grey (RAL 7024) semi gloss Middle Sky Blue (RAL 5015) semi gloss Cornflower Blue (BS 18E53) semi gloss Traffic Blue (RAL 5002) matt Ultra Marine (RAL 5002) semi gloss Ocean Blue (BS 18 E 53) semi gloss Sargasso/Drk Sargasso (RAL 5003) semi gloss/textured Slate Blue/Raven (BS 18 B 29) matt Jet Black (RAL 9005) Semi Gloss

Pure White (RAL 9010) matt Traffic White (RAL 9016) matt White Aluminium (RAL 9006) matt Light Wory (RAL 1015) semi gloss Rape Yellow (RAL 1021) matt Mellon Yellow (RAL 1028) matt Poppy Red (BS 04 E 53) semi gloss Ruby Red (RAL 3003) semi gloss Mushroom (BS 10 B 19) matt Van Dyke Brown (BS 08 B 29) semi gloss Chocolate Brown (RAL 8017) semi gloss Leaf Green (RAL 6002) matt Holly Green (BS 14 C 39) semi gloss/textured Juniper Green (BS 12 B 29) matt

Pale Grey (RAL 7035) semi gloss

NON STANDARD COLOURS

We hold many non-standard colours/finishes in stock. If we are able to source your requirements from stock there will be no extra charge. If the colour/finish you require is not available from stock it can be sourced from our nominated supplier and charged at cost (price on application).

FIRE RATED SECURITY DOORS

Our new fire rated security door range offers an exceptionally wide selection of doors combining fire protection and LPS1175 security certification.

This door range comes with a full 4 hour fire rating (with the exception of some glazed options) together with Loss Prevention Certification Board (LPCB) Certification to LPS1175 Security Rating 1, 2 and 3.

Tested to the internationally recognised standard EN1634-1:2008 and approved by Exova Warringtonfire under the CERTIFIRE scheme.







HIGH SECURITY CERTIFIED DOORS

Suitable for all high security, personnel, fire exit, access control and substation (utility) applications.

Tested and certified by the Loss Prevention Certification Board (LPCB) to LPS 1175 Security Ratings 1,2 & 3 Issue 7.

- Triple Protection Anti-Pry Frame Profile For defence against attack with a crowbar or other similar lever type implement.
- Internal Reinforcing adding strength without excessive weight
- Security Doors with heavy duty single, two, three and four point locking options
- Fire Exit Doors with panic bar or push pad options
- Utility Doors with or without louvres for ventilation
- Access Control with electro-mechanical locking
- · 16 Point Locking









Secured by Design Police Preferred Specification and PAS 23/24 Certification.

An attractive yet secure main entrance to any building, which is able to withstand heavy use and vandalism.

This range is suitable for all public buildings including the front and rear doors of communal accommodation, schools and offices.





SUBSTATION/ LOUVRED DOORS

Substation Doors are specifically designed for remote sites where ventilation is required and vandalism anticipated. Every door is individually engineered and custom made.

Built for strength and lasting construction our Substation Doors are the obvious choice for replacement of wooden doors on electricity substations with other applications including local authority bin stores.



Brook Street Nelson Lancashire BB9 9PU T: 01282 615239 F: 01282 698509 E: sales@nvmgroup.co.uk W: www.nvmgroup.co.uk

